CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

| SELECTED MEDICAL CONDITIONS AND PROCEDURES | A-1 – A-12 |
|---|------------|
| HIV AND OTHER INFECTIONS | A-1 |
| ANEMIA | A-1 |
| ATHEROSCLEROSIS | A-1 |
| BLOOD DISORDERS | A-1 |
| BREAST DISORDERS | A-2 |
| CEREBROVASCULAR DISORDERS | A-2 |
| CIRCULATORY DISORDERS | A-2 |
| COMPLICATIONS | A-2 |
| DIABETES | A-3 |
| DRUGS AND ALCOHOL | A-3 |
| EAR, NOSE, THROAT DISORDERS | A-3 |
| E CODES | A-4 |
| ENDOCRINE DISORDERS | A-4 |
| EPILEPSY | A-4 |
| GASTROINTESTINAL DISORDERS AND PROCEDURES | A-4 – A-6 |
| GENITOURINARY DISORDERS AND PROCEDURES | A-6 |
| HEART DISORDERS AND PROCEDURES | A-6 – A-7 |
| HYPERTENSION | A-7 |

DRAFT 2006

CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

| INJURIES | A-7 - A-8 |
|--|------------|
| ITALICIZED CODES | A-8 |
| LATE EFFECTS AND HISTORY | A-8 |
| MENTAL DISORDERS | A-8 |
| NEOPLASMS | A-9 |
| NEUROLOGICAL DISORDERS | A-9 |
| NEWBORN | A-9 |
| OBSTETRICAL CONDITIONS AND PROCEDURES | A-9 – A-10 |
| RESPIRATORY DISORDERS | A-10 |
| SHOCK | A-11 |
| SPINAL/DISC DISORDERS | A-11 |
| STOMA CONDITIONS AND PROCEDURES | A-11 |
| UNSPECIFIED versus SPECIFIED CONDITIONS | A-11 |
| V CODES | A-12 |

DRAFT 2006

CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

HIV AND OTHER INFECTIONS

| Standard Edit | HIV Test Results Reported as a Diagnosis |
|---------------|--|
| | (no longer V0006 coding edit, instead this is OSHPD standard edit to serve as an |
| | alert |
| | regarding California Code of Regulations on HIV blood testing and confidentiality) |
| V0050 | Infection Resistant to Drugs (V09) Invalid as Principal Diagnosis |
| V0081 | AIDS (042) Invalid with ARC or HIV |
| V0082 | ARC (043) Invalid with AIDS or HIV |
| V0083 | HIV (044) Invalid with AIDS or HIV |
| V0084 | HIV Disease with HIV Test Results |
| V0085 | Certain AIDS-Related Manifestations Invalid with ARC (043) or HIV (044) |
| V0127 | Septic Shock Invalid as Principal Diagnosis When Septicemia Is Present |
| V0165 | AIDS - Too Many 4th Digits |
| V0166 | ARC - Too Many 4th Digits |
| V0167 | HIV - Too Many 4th Digits |
| V0172 | Positive TB Test versus Tuberculosis |
| V0171 | Bacteremia versus Septicemia |
| V0285 | Amebic Abscess: Combination Code = 006.5 |
| V0287 | Madura Foot, With and Without Mycotic Infection |
| | |

ANEMIA

| V0088 | Sickle-Cell Anemia with Sickle-Cell Trait Should be Combined |
|-------|--|
| V0196 | Prolonged PT/PTT Versus Coagulation Disorder |
| V0255 | With or Without Sickle-Cell Crisis? |

ATHEROSCLEROSIS

| VW174 | Atherosclerosis of Extremity Hierarchy |
|-------|--|
| V0175 | Ulceration and Atherosclerosis – Extremity |
| VW176 | Gangrene and Atherosclerosis - Extremity |
| VW186 | Atherosclerosis with Gas Gangrene? |

BLOOD DISORDERS

| V0252 | Leukemia, With or Without Remission |
|-------|-------------------------------------|
| V0255 | With or Without Sickle-Cell Crisis |
| V0271 | Aneurysm, With and Without Rupture |

CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

BREAST DISORDERS

| V0301 | Mastoidectomy, Illogical For Use With Diagnosis of Breast Cancer(s) |
|-------|--|
| V0316 | Mastectomy, Illogical For Use With Diagnosis of Mastoiditis and Middle Ear |
| | Infections |

CEREBROVASCULAR DISORDERS

| V0163 | CVA Stroke versus Late Effect of CVA |
|-------|---|
| V0164 | CVA versus Specified Cerebral Occlusion |
| V0191 | Precerebral Artery, With and Without Infarction |
| V0192 | Cerebral Thrombosis or Embolism, With and Without Infarction |
| V0193 | Basilar Syndrome Versus Occlusion |
| V0194 | Vertebral Syndrome Versus Occlusion |
| V0195 | Vertebrobasilar Artery Syndrome: Combination Code = 435.3 |
| V0270 | Vertebrobasilar Syndrome Versus Vertebral Syndrome or Basilar Syndrome? |

CIRCULATORY DISORDERS

| V0272 | Hemorrhoids, With and Without Complication |
|-------|--|
| VW273 | Unspecified versus Specified Hemorrhoids |
| V0274 | Varices, With and Without Bleeding |

COMPLICATIONS

| V0226 | Tracheostomy: | Attention/Status Versus Complication |
|-------|---------------|--------------------------------------|
| V0227 | Gastrostomy: | Attention/Status Versus Complication |
| V0228 | Ileostomy: | Attention/Status Versus Complication |
| V0229 | Colostomy: | Attention/Status Versus Complication |
| V0230 | Cystostomy: | Attention/Status Versus Complication |
| VW231 | Breast: | Attention Versus Complication |
| V0232 | Pacemaker: | Attention Versus Complication |

CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

DIABETES

| V0087 | Uncomplicated Diabetes Versus Complicated Diabetes |
|-------|--|
| V0168 | Type I and Type II Diabetes |
| V0169 | Controlled versus Uncontrolled Diabetes |
| V0170 | Hypoglycemia and Hypoglycemic Diabetes |
| V0177 | Unspecified versus Specified Diabetes Complication |

DRUGS AND ALCOHOL

| V0011 | Principal Diagnosis - Unspecified Adverse Effect (995.2) |
|-------------|---|
| V0050 | Infection Resistant to Drugs (V09) Invalid as Principal Diagnosis |
| V0051 | Other Diagnosis - Unspecified Adverse Effect (995.2) |
| VW245 | Unspecified versus Specified Psychiatric and/or Drug Diagnosis |
| V0295 | Amnesia, With and Without Alcohol |
| V0296 | Alcohol Withdrawal, With and Without Specified Condition |
| V0318 | Detox and/or Rehab Procedures, Without Diagnosis of Alcoholism |
| V0319 | Detox and/or Rehab Procedures Without Diagnosis of Drug |
| V0320 | Detox and/or Rehab Procedures, Without Diagnosis of Combined Alcohol and Drug |
| V0401 | Alcohol Detox with Drug Detox Procedures = Combination Code Needed |
| V0402 | Alcohol Rehab with Drug Rehab Procedures = Combination Code Needed |
| V0403 | Alcohol Rehab with Alcohol Detox Procedures = Combination Code Needed |
| V0404 | Drug Rehab with Drug Detox Procedures = Combination Code Needed |
| V0405 | Alcohol/Drug Rehab with Detox Procedures = Combination Code Needed |
| V0540-V0710 | Poisoning Drug Codes With Therapeutic E Codes |
| | |

EAR, NOSE, THROAT DISORDERS

| V0275 | Larynx and/or Trachea, With and Without Obstruction |
|-------|--|
| V0276 | Hypertrophy of Tonsils and Adenoids: Combination Code = 474.10 |
| V0277 | Laryngitis or Laryngotracheitis? |
| V0278 | Illogical Codes for Vocal Cord Paralysis |

CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

E CODES

| Standard Edit | Place of Occurrence E Code Needed |
|---------------|---|
| | (formerly V0711, this is now an OSHPD standard edit to comply with California |
| | Code of Regulations in Title 22) |
| V0501 | Undetermined Injury E Codes Invalid to Use Without Legal Investigation by Law |
| | Officers |
| V0540-V0710 | Poisoning Drug Codes With Therapeutic E Codes |
| **** | 70 70 1 |

V0712 Place of Occurrence E Codes:

Some Are Illogical To Use for Newborns Born in Hospital

VW713 Maltreatment E Code Needed

ENDOCRINE DISORDERS

| V0253 | Thyroid, With or Without Thyrotoxic Storm |
|-------|---|
| V0254 | Cystic Fibrosis, With or Without Meconium Ileus |
| VW288 | Malnutrition, Highest Hierarchy Only |

EPILEPSY

| V0178 | Epilepsy, With and Without Intractability |
|-------|---|
| V0179 | Unspecified versus Specified Epilepsy |

GASTROINTESTINAL DISORDERS AND PROCEDURES

| V0093 | Ulcers with Hemorrhage and Perforation. Without Obstruction |
|-------|---|
| V0094 | Ulcers with Hemorrhage, Perforation, Obstruction |
| V0095 | Gastritis/Duodenitis, With and Without Hemorrhage - Which is it? |
| V0096 | Diverticulosis and Diverticulitis |
| V0097 | Diverticulosis and Diverticulitis, With and Without Hemorrhage – Which is it? |
| V0100 | Appendicitis and Peritonitis? |
| V0102 | Peritoneal Adhesions With and Without Obstruction |
| V0103 | Acute Cholecystitis With and Without Stones |
| V0104 | Chronic Cholecystitis With and Without Stones |
| V0105 | Obstructive Gallstone With Obstructive Gallbladder – Combination Code |
| V0106 | Obstructive Bile Stone With Obstructive Bile Duct – Combination Code |
| V0131 | Gangrenous Inguinal Hernia, With and Without Recurrence |
| V0132 | Obstructive Inguinal Hernia, With and Without Recurrence |
| | |

CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

GASTROINTESTINAL DISORDERS AND PROCEDURES - Continued

| V0133 | Inguinal Hernia, With and Without Recurrence |
|-------|--|
| V0134 | Gangrenous Femoral Hernia, With and Without Recurrence |
| V0135 | Obstructive Femoral Hernia, With and Without Recurrence |
| V0136 | Femoral Hernia, With and Without Recurrence |
| V0137 | Inguinal Hernia, With Gangrene and Obstruction |
| V0138 | Inguinal Hernia, With and Without Gangrene |
| V0139 | Inguinal Hernia, With and Without Obstruction |
| V0140 | Femoral Hernia, With Gangrene and Obstruction |
| V0141 | Femoral Hernia, With and Without Gangrene |
| V0142 | Femoral Hernia, With and Without Obstruction |
| V0143 | Umbilical Hernia, With Gangrene and Obstruction |
| V0144 | Umbilical Hernia, With and Without Gangrene |
| V0145 | Umbilical Hernia, With and Without Obstruction |
| V0146 | Ventral Hernia ,With Gangrene and Obstruction |
| V0147 | Ventral Hernia, With and Without Gangrene |
| V0148 | Ventral Hernia, With and Without Obstruction |
| V0149 | Diaphragmatic Hernia, With Gangrene and Obstruction |
| V0150 | Diaphragmatic Hernia, With and Without Gangrene |
| V0151 | Diaphragmatic Hernia, With and Without Obstruction |
| V0152 | Incisional Hernia, With Gangrene and Obstruction |
| V0153 | Incisional Hernia, With and Without Gangrene |
| V0154 | Incisional Hernia, With and Without Obstruction |
| V0155 | Epigastric Hernia, With Gangrene and Obstruction |
| V0156 | Epigastric Hernia, With and Without Gangrene |
| V0157 | Epigastric Hernia, With and Without Obstruction |
| V0173 | Chronic Hepatitis versus Viral Hepatitis |
| V0233 | 574.6x Combination Code Needed for Gallstone and Bile Stone With Acute |
| | Cholecystitis |
| V0234 | 574.7x Combination Code Needed for Gallstone and Bile Stone With Other |
| | Cholecystitis |
| V0235 | 574.9x Combination Code Needed for Gallstone and Bile Stone Without Mention of |
| | Cholecystitis |
| V0236 | 574.8x Combination Code Needed for Gallstone and Bile Stone With Acute and |
| | Chronic Cholecystitis |
| V0240 | 575.12 Combination Code Needed for Acute and Chronic Cholecystitis |
| VW249 | Unspecified Versus Specified Digestive Diagnosis |
| V0250 | With or Without Hepatitis Delta? |
| V0251 | With or Without Hepatic Coma? |
| V0282 | Angiodysplasia, With and Without Hemorrhage |
| V0283 | Cirrhosis, With and Without Alcohol |
| V0284 | Acute and Chronic Cholecystitis: Combination Code: = 575.12 |

CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

GASTROINTESTINAL DISORDERS AND PROCEDURES - Continued

| V0311 | Bilateral Hernia Repair, Illogical For Diagnosis of Unilateral Hernia |
|-------|---|
| V0312 | Hernia Repair Without Hernia Diagnosis |
| V0408 | Cholecystectomy, Laparoscopic versus Open |
| V0409 | Appendectomy, Laparoscopic versus Open |
| V0410 | Incidental Appendectomy, Laparoscopic versus Open |
| V0411 | Lysis of Peritoneal Adhesions, Laparoscopic versus Open |

Vaginal Prolapse, With and Without Uterine Prolapse

GENITOURINARY DISORDERS AND PROCEDURES

V0107

| V0108 | Uterine Prolapse, With and Without Vaginal Prolapse |
|-------|--|
| V0263 | With or Without Neurogenic Bladder? |
| V0406 | Vaginal Hysterectomy, Laparoscopic versus Open |
| V0412 | Lysis of Perirenal or Periureteral Adhesions, Laparoscopic versus Open |
| V0413 | Lysis of Perivesical Adhesions, Laparoscopic versus Open |
| V0414 | Oophorotomy, Laparoscopic versus Open |
| V0415 | Ovarian Biopsy, Laparoscopic versus Open |
| V0416 | Ovarian Cyst Marsupialization, Laparoscopic versus Open |
| V0417 | Wedge Resection of Ovary, Laparoscopic versus Open |
| V0418 | Unilateral Oophorectomy, Laparoscopic versus Open |
| V0419 | Removal of Both Ovaries, Laparoscopic versus Open |
| V0420 | Removal of Remaining Ovary, Laparoscopic versus Open |
| V0421 | Simple Suture of Ovary, Laparoscopic versus Open |
| V0422 | Ovary Reimplantation, Laparoscopic versus Open |
| V0423 | Unilateral Salpingo-Oophorectomy, Laparoscopic versus Open |
| V0424 | Removal of Both Ovaries and Tubes, Laparoscopic versus Open |
| V0425 | Removal of Remaining Ovary and Tube, Laparoscopic versus Open |
| V0426 | Salpingo-Oophoroplasty, Laparoscopic versus Open |
| V0427 | Lysis of Ovary and Tube Adhesions, Laparoscopic versus Open |
| | |

HEART DISORDERS AND PROCEDURES

| VW187 | Angina Versus Coronary Occlusion |
|-------|---|
| VW188 | Angina and/or Coronary Occlusion Versus Myocardial Infarction |
| V0189 | Rheumatic Heart Disease and Heart Failure |
| V0190 | Rheumatic Heart Failure with Congestive Heart Failure |
| V0197 | Pericarditis, Rheumatic or Not? |

CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

HEART DISORDERS AND PROCEDURES - Continued

| V0198 | Mitral Valve, Rheumatic or Not? |
|-------|---|
| V0199 | Aortic Valve, Rheumatic or Not? |
| V0200 | Tricuspid Valve, Rheumatic or Not? |
| V0201 | Pulmonary Valve, Rheumatic or Not? |
| V0202 | Endocardium, Rheumatic or Not? |
| V0203 | Myocarditis, Rheumatic or Not? |
| V0204 | Heart Disease, Rheumatic or Not? |
| V0205 | Mitral and Aortic Stenosis = Combination Code |
| V0206 | Mitral and Aortic Insufficiency = Combination Code |
| V0207 | Mitral and Aortic Valves, With Stenosis and Insufficiency |
| V0208 | Mitral Stenosis and Aortic Insufficiency |
| V0209 | Mitral Insufficiency and Aortic Stenosis |
| V0210 | Mitral and Aortic Valve Disease = Combination Code |
| V0211 | Congestive Heart Failure, Rheumatic or Not? |
| V0268 | Left and Right BBB: Combination Code 426.51-426.54 |
| V0269 | Left and Right Heart Failure: Combination Code 428.0 |

HYPERTENSION

| V0089 | Hypertension versus Other Hypertensive Diseases |
|-------|--|
| V0090 | Hypertensive Heart Disease and Heart Disease |
| VW091 | Hypertension and Kidney Disease |
| V0092 | Hypertensive Heart and Kidney Disease |
| V0238 | Pregnancy, With and Without Hypertension |
| V0239 | Pregnancy and Kidney Diagnosis, With and Without Hypertension |
| V0265 | Hypertensive Diagnosis, Benign or Malignant? |
| V0266 | Hypertension, With or Without Heart Failure and/or Kidney Failure |
| V0267 | Hypertensive Heart Failure and Kidney Failure: Combination Code 404.x3 |

INJURIES

| VW007 | Unspecified Injuries Too Vague for a Principal Diagnosis |
|-------|---|
| VW008 | Unspecified Burns (949) Too Vague for a Principal Diagnosis |
| VW009 | Complications of Trauma (958) Questionable as Principal Diagnosis |
| VW128 | Third Degree Burn Over 18% of Body With Illogical Codes From Category |
| | 948 |

CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

INJURIES - Continued

| V0129 | Extent of Burn (Category 948) Invalid as Principal Diagnosis When Other |
|-------|---|
| | Diagnosis Codes For Burns (940-947) Are Present |
| V0161 | Concussion versus Specified Head Injury |
| V0162 | Head Injury versus Specified Head Injury |
| VW180 | Pathological versus Traumatic Fracture |
| V0183 | Open and Closed Fracture of Same Site |
| V0184 | Unspecified versus Specified Spinal Cord Injury |
| VW289 | Physical Abuse, Active or History? |
| VW290 | Emotional Abuse, Active or History? |
| VW291 | Adult Abuse, Counseling or Treatment? |
| VW292 | Child Abuse, Counseling or Treatment? |
| VW713 | Maltreatment E Code Needed |

ITALICIZED CODES

| V0013 | Italicized Code Cannot Be a Principal Diagnosis |
|-------|--|
| VW300 | Mandatory Multiple Coding: Need Underlying Disease For Manifestation |
| | Diagnosis Code |

LATE EFFECTS AND HISTORY

| VW004 | Late Effects Invalid as Principal Diagnosis |
|-------|---|
| VW005 | Old History of Myocardial Infarction Invalid as Principal Diagnosis |
| V0212 | Use of V10 for Secondary Malignancies |
| V0258 | Schizophrenia, In Remission or Active? |
| VW293 | Child Psychoses, Residual or Active? |
| V0294 | Late Effect or Active Condition? |

MENTAL DISORDERS

| V0126 | Newborn with Psychiatric Mental Disorders |
|-------|--|
| | • |
| V0130 | Mental Observation With Mental Diagnosis |
| VW245 | Unspecified versus Specified Psychiatric and/or Drug Diagnosis |
| V0256 | Schizophrenia, Chronic or Chronic and Acute? |
| V0257 | Schizophrenia, Subchronic or Subchronic and Acute? |
| V0258 | Schizophrenia, In Remission or Active? |
| V0259 | Severe Psychoses, With and Without Psychotic Behavior |
| V0260 | Conduct Disorder, Childhood or Adolescence? |
| V0261 | Attention Deficit Disorder, With and Without Hyperactivity |
| VW293 | Child Psychoses, Residual or Active? |
| V0297 | Use Combination Code for Hypochondriasis |

CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

NEOPLASMS

| V0086 | Cancer Recurrence Versus History of Cancer at the Same Site |
|-------|---|
| V0101 | Lymphoma versus Metastatic Carcinoma of Lymph Node(s) |
| V0212 | Use of V10 for Secondary Malignancies |
| VW242 | Unspecified versus Specified Tumors |
| V0252 | Leukemia, With or Without Remission |
| V0286 | Liver Cancer, Primary or Secondary? |
| V0302 | Bone Marrow Transplant - Illogical to Use with Diagnosis of Bone Marrow |
| | Donor V59.3 |
| V0317 | Radium Implant Procedures Need Malignancy Diagnosis Codes |

NEUROLOGICAL DISORDERS

| V0262 | Incomplete or Complete Quadriplegia? |
|-------|---------------------------------------|
| V0264 | With or Without Intractable Migraine? |

NEWBORN

| VW003 | Classification of Birth Codes Too Vague for a Principal Diagnosis |
|-------|---|
| V0042 | Newborn Codes (V30-V39) Invalid as Other Diagnosis |
| VW125 | Birth Injuries versus Traumatic Injuries |
| V0126 | Newborn with Psychiatric Mental Disorders |
| V0181 | Inconsistent Birth Weights |
| V0182 | Unspecified versus Specified Jaundice |
| V0237 | Newborn Outcome (V27) Needed for Obstetrical Delivery Record |
| V0901 | Low Birth Weight Status versus Low Birth Weights |

OBSTETRICAL CONDITIONS AND PROCEDURES

| V0010 | Delivery Outcome (V27) Invalid as Principal Diagnosis |
|-------|--|
| V0049 | Normal Pregnancy with Delivery Code (650) Invalid as Other Diagnosis |
| V0112 | Illogical Combinations of Fifth Digits for Obstetrical Diagnoses |
| V0113 | Supervision of Pregnancy (V22) With Other Obstetrical Codes from Chapter 11 in |
| | the ICD-9-CM Codebook |

CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

OBSTETRICAL CONDITIONS AND PROCEDURES - Continued

| V0114 | Supervision of High-Risk Pregnancy (V23) With Other Obstetrical Codes from |
|----------------------|--|
| | Chapter 11 of the ICD-9-CM Codebook |
| V0115 | Postpartum Care and Examination (V24) With Other Obstetrical Codes from |
| | Chapter 11 in the ICD-9-CM Codebook |
| V0116 | Sterilization (V25.2) Invalid as Principal Diagnosis with Obstetrical Delivery |
| | Diagnosis Codes |
| V W 117 | Illogical Outcome of Delivery (V27) For Obstetrical Delivery Diagnosis Codes |
| V0118 | Postpartum Care (V24) with Outcome of Delivery (V27) |
| V0119 | Pregnancy Codes With Newborn Codes |
| V0120 | Normal Delivery (650) with Complications of Pregnancy, Childbirth, and the |
| | Puerperium |
| V0121 | Complications (639) Associated with Abortion (634-638) |
| V0122 | Complications (639) Invalid as Principal Diagnosis on Molar and Ectopic |
| | Pregnancies (630-633) |
| V0123 | Pregnancy Conditions without Fifth Digits "0" on Abortions |
| V0124 | Outcome of Delivery (V27) Found Illogical with Non-Delivery Obstetrical Codes |
| VW158 | Missed Abortion or Delivery - Which is it? |
| V0159 | Elderly Primigravida Versus Elderly Multigravida - Which is it? |
| V0160 | Perinatal Conditions on Mother's Record |
| V0238 | Pregnancy, With and Without Hypertension |
| V0239 | Pregnancy and Kidney Diagnosis, With and Without Hypertension |
| VW313 | Legal Abortion Procedure, Illogical For Diagnosis of Legally Incomplete Abortion |
| V0 <mark>W</mark> 14 | D & C Following Abortion, Illogical For Diagnosis of Complete Abortion |
| V0315 | Repairs of Obstetrical Lacerations Without Diagnosis of Obstetrical Lacerations |
| V0321 | Delivery Procedures, Illogical For Antepartum Condition Before Delivery or |
| | Postpartum Condition After Delivery |
| V0322 | Complicated Delivery Procedure, Illogical for Diagnosis of Normal Pregnancy |
| | (650) |
| V0407 | Episiotomy Versus Other Episiotomies |
| V0902 | Post Term Pregnancy (40-42 weeks) versus Prolonged Pregnancy (greater than 42 |
| | weeks) |

RESPIRATORY DISORDERS

| V0098 | Tuberculosis Pleurisy with Pleurisy |
|-------|--|
| V0099 | COPD with Other Respiratory Conditions |
| VW248 | Unspecified versus Specified Respiratory Diagnosis |
| V0279 | Obstructive Chronic Bronchitis, With and Without Acute Exacerbation |
| V0280 | With or Without Status Asthmaticus? |
| V0281 | Empyema, With and Without Fistula |
| V0298 | 518.84 Combination Code Needed for Acute and Chronic Respiratory Failure |

CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

SHOCK

V0127 Septic Shock as Principal Diagnosis When Septicemia Is Present

SPINAL/DISC DISORDERS

| VW109 | Cervical Spinal Condition With Cervical Spinal Disease |
|-------|--|
| VW110 | Thoracic Spinal Condition With Thoracic Spinal Disease |
| VW111 | Lumbar Spinal Condition With Lumbar Spinal Disease |
| V0184 | Unspecified versus Specified Spinal Cord Injury |

STOMA CONDITIONS AND PROCEDURES

| V0185 | Attention Versus Status Related to Stoma |
|-------|---|
| V0219 | GI Device: Adjustment Versus Attention |
| V0220 | Urinary Device: Adjustment Versus Attention |
| V0226 | Tracheostomy: Attention/Status Versus Complication |
| V0227 | Gastrostomy: Attention/Status Versus Complication |
| V0228 | Ileostomy: Attention/Status Versus Complication |
| V0229 | Colostomy: Attention/Status Versus Complication |
| V0230 | Cystostomy: Attention/Status Versus Complication |
| V0303 | Incidental Appendectomy, Illogical for Diagnosis of Significant Appendiceal |
| | Pathology |
| V0304 | Tracheostomy Revision, Status versus Attention |
| V0305 | Gastrostomy Revision, Status versus Attention |
| V0306 | Intestinal Stoma Revision, Status versus Attention |
| V0307 | Ileostomy Revision, Status versus Attention |
| V0308 | Colostomy Revision, Status versus Attention |
| V0309 | Cystostomy Revision, Status versus Attention |
| V0310 | Urinary Tract Revision, Status versus Attention |
| | |

UNSPECIFIED versus SPECIFIED CONDITIONS

| VW241 | Unspecified versus Specified Infections |
|-------|--|
| VW242 | Unspecified versus Specified Tumors |
| VW243 | Unspecified versus Specified Endocrine Disease |
| VW244 | Unspecified versus Specified Blood Diagnosis |
| VW245 | Unspecified versus Specified Psychiatric and/or Drug Diagnosis |
| VW246 | Unspecified versus Specified CNS or Sense Organ Diagnosis |
| VW247 | Unspecified versus Specified Circulatory Diagnosis |
| VW248 | Unspecified versus Specified Respiratory Diagnosis |
| VW249 | Unspecified versus Specified Digestive Diagnosis |

CODING EDITS FOR SELECTED MEDICAL CONDITIONS AND PROCEDURES

V CODES

| V0001 | V Codes Invalid as Principal Diagnosis |
|----------------|---|
| V0002 | Outpatient Service V Codes Invalid as Inpatient Principal Diagnosis |
| VW012 | Nonspecific V Code As Principal Diagnosis |
| VW041 | V Codes Invalid as Other Diagnosis |
| V0042 | Newborn Codes (V30-V39) Invalid as Other Diagnosis |
| V0043 | Management Service V Codes Invalid as Other Diagnosis |
| V0044 | Follow-up V Codes Invalid as Other Diagnosis |
| V0045 | Observation Codes (V71) Invalid as Other Diagnosis |
| V0046 | Outpatient Service V Codes Invalid as Other Diagnosis |
| V0047 | Examinations V Code Invalid as Other Diagnosis |
| V0048 | Screening Examination Service V Codes Invalid as Other Diagnosis |
| V0050 | Infection Resistant to Drugs (V09) Invalid as Principal Diagnosis |
| V0185 | Attention versus Status Related to Stoma |
| V0212 | Use of V10 for Secondary Malignancies |
| V0213 | Dialysis: Attention Versus Status |
| V0214 | Contraceptives: Attention Versus Status |
| VW215 | Surgical State Versus Replacement Status: Eye |
| V0216 | Pacemaker: Attention Versus Status |
| V0217 | Defibrillator: Attention Versus Status |
| V0218 | Cardiac Device: Attention Versus Status |
| V0219 | GI Device: Adjustment Versus Attention |
| V0220 | Urinary Device: Adjustment Versus Attention |
| VW221 | Ortho Device: Adjustment Versus Attention |
| VW222 | Arm: Adjustment Versus Status |
| VW223 | Leg: Adjustment Versus Status |
| V W 224 | Eye: Adjustment Versus Status |
| VW225 | Breast: Adjustment Versus Status |
| V0226 | Tracheostomy: Attention/Status Versus Complication |
| V0227 | Gastrostomy: Attention/Status Versus Complication |
| V0228 | Ileostomy: Attention/Status Versus Complication |
| V0229 | Colostomy: Attention/Status Versus Complication |
| V0230 | Cystostomy: Attention/Status Versus Complication |
| VW231 | Breast: Attention Versus Complication |
| V0232 | Pacemaker: Attention Versus Complication |
| VW289 | Physical Abuse, Active or History? |
| VW290 | Emotional Abuse, Active or History? |
| V W 291 | Adult Abuse, Counseling or Treatment? |
| VW292 | Child Abuse Counseling or Treatment? |